WELL MADE

SYSTEM SCAFFOLDING

Since 2001s,

20 Years Scaffolding Manufacture Experience

50,000m2 Automatic ScaffoldingProduction Lines

Own Scaffolding Test House

Wellmade Scaffold， China

Standard/Vertical-with pressed-in spigot



Item Code	Length(m)	Weight(kg)
WRSP050	0.5	3.2
WRSP100	1.0	5.5
WRSP150	1.5	7.8
WRSP200	2.0	10.1
WRSP250	2.5	12.4
WRSP300	3.0	14.6
WRSP400	4.0	19.2

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Standard/Vertical-with integrated spigot



Item Code	Length(m)	Weight(kg)
WRSI050	0.5	2.7
WRSI100	1.0	4.9
WRSI150	1.5	7.1
WRSI200	2.0	9.3
WRSI250	2.5	11.5
WRSI300	3.0	13.7
WRSI400	4.0	18.1

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Standard/Vertical-without spigot



Item Code	Length(m)	Weight(kg)
WRSO050	0.5	2.5
WRSO100	1.0	4.6
WRSO150	1.5	6.8
WRSO200	2.0	9.0
WRSO250	2.5	11.7
WRSO300	3.0	13.7

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

O-Ledger



Item Code	Length(m)	Weight(kg)
WRL039	0.39	1.9
WRL045	0.45	2.1
WRL073	0.73	2.9
WRL086	0.86	3.3
WRL090	0.90	3.4
WRL104	1.04	3.8
WRL109	1.09	4.0
WRL129	1.29	4.6
WRL140	1.40	5.0
WRL157	1.57	5.5
WRL207	2.07	7.0
WRL257	2.57	8.5
WRL307	3.07	10.1
WRL414	4.14	13.4

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

O-Bridging Ledger



Item Code	Length(m)	Weight(kg)
WRBL109	1.09	5.9
WRBL140	1.40	7.7
WRBL157	1.57	8.7
WRBL207	2.07	11.4
WRBL257	2.57	14.3
WRBL307	3.07	17.0

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

U-Ledger



Item Code	Length(m)	Weight(kg)
WRUL045	0.45	2.1
WRUL050	0.50	2.5
WRUL073	0.73	3.1
WRUL100	1.00	4.1
WRUL109	1.09	4.3
WRUL129	1.29	5.2
WRUL140	1.40	5.4

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

U-Ledger Reinforced



Item Code	Length(m)	Weight(kg)
WRULR140	1.40	8.9
WRULR157	1.57	9.4
WRULR207	2.07	12.7
WRULR257	2.57	15.7
WRULR307	3.07	19.0

Material: High strength structural steel

Finish: Hot dipped galvanized

U-Bridging Ledger



Item Code	Length(m)	Weight(kg)
WRUBL109	1.09	6.0
WRUBL140	1.40	7.5
WRUBL157	1.57	9.4
WRUBL207	2.07	11.7
WRUBL257	2.57	14.5
WRUBL307	3.07	18.1

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Lattice Girder



Item Code	Length(m)	Weight(kg)
WRLG207	2.07	22.2
WRLG257	2.57	25.5
WRLG307	3.07	30.9
WRLG414	4.14	40.2
WRLG514	5.14	51.2
WRLG614	6.14	59.2
WRLG771	7.71	71.0

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Diagonal Brace



Item Code	Length (m)	Weight(kg)	Item Code	Length (m)	Weight(kg)
WRDB212	2.12	7.1	WRDB120	1.20	4.5
WRDB223	2.23	7.3	WRDB139	1.39	5.1
WRDB225	2.25	7.4	WRDB141	1.41	5.2
WRDB235	2.35	7.8	WRDB155	1.55	5.6
WRDB240	2.40	7.9	WRDB164	1.64	5.8
WRDB249	2.49	8.2	WRDB179	1.79	6.2
WRDB281	2.81	8.9	WRDB220	2.20	7.4
WRDB318	3.18	10.0	WRDB266	2.66	8.6
WRDB358	3.58	11.1	WRDB313	3.13	9.9
WRDB451	4.51	13.7			
WRDB165	1.65	5.8	WRDB108	1.08	4.2
WRDB179	1.79	6.2	WRDB110	1.10	4.4
WRDB181	1.81	6.3	WRDB129	1.29	4.9
WRDB192	1.92	6.7	WRDB138	1.38	5.1
WRDB199	1.99	6.8	WRDB155	1.55	5.6
WRDB211	2.11	7.3	WRDB203	2.03	6.9
WRDB248	2.48	8.2	WRDB251	2.51	8.2
WRDB289	2.89	9.5	WRDB300	3.00	9.6
WRDB332	3.32	10.5			

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Horizontal Brace (Plain Brace)



Item Code	Length(m)	Weight(kg)
WRLH154	1.54	5.5
WRLH191	1.91	6.7
WRLH222	2.22	7.7
WRLH223	2.23	7.8
WRLH283	2.83	9.6
WRLH219	2.19	7.8
WRLH232	2.32	8.1
WRLH234	2.34	8.1
WRLH260	2.60	9.2
WRLH293	2.93	10.0
WRLH267	2.67	9.3
WRLH279	2.79	9.6
WRLH301	3.01	10.3
WRLH330	3.30	11.2
WRLH364	3.64	12.2
WRLH316	3.16	10.9
WRLH326	3.26	11.1
WRLH434	4.34	14.5

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Intermediate Transom



Item Code	Length(m)	Weight(kg)
WRIT073	0.73	3.7
WRIT109	1.09	4.6
WRIT140	1.40	6.7
WRIT157	1.57	7.4
WRIT207	2.07	10.3
WRIT257	2.57	12.5
WRIT307	3.07	15.0

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

O-Ledger with Ledger head and U head

Item Code	Length(m)	Weight(kg)
WRLLU257	2.57	7.8
WRLLU307	3.07	8.8

Material: High strength structural steel
Finish: Hot dipped galvanized

Bracket Brace

Item Code	Length(m)	Weight(kg)
WRBB205	2.05	8.8

Material: High strength structural steel
Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Type Plank-190



Item Code	Length(m)	Weight(kg)
WRP19073	0.73	5.0
WRP19109	1.09	7.0
WRP19140	1.40	8.4
WRP19157	1.57	9.0
WRP19207	2.07	10.7
WRP19257	2.57	13.0
WRP19307	3.07	18.2

Material: High strength structural steel

Finish: Hot dipped galvanized

Note: O Type and U Type Both Available

WELL MADE
SYSTEM SCAFFOLDING

Type Plank-320



Item Code	Length(m)	Weight(kg)
WRP32073	0.73	6.8
WRP32109	1.09	9.1
WRP32129	1.29	10.1
WRP32140	1.40	10.8
WRP32157	1.57	12.4
WRP32207	2.07	15.7
WRP32257	2.57	19.0
WRP32307	3.07	22.3

Material: High strength structural steel

Finish: Hot dipped galvanized

Note: O Type and U Type Both Available

WELL MADE
SYSTEM SCAFFOLDING

Alu-ply plank-610



Item Code	Length(m)	Weight(kg)
WRAP073	0.73	8.7
WRAP109	1.09	11.2
WRAP157	1.57	14.6
WRAP207	2.07	17.9
WRAP257	2.57	21.9
WRAP307	3.07	26.5

Material: Aluminium and Wood
Note: O Type and U Type Both Available

Alu-ply Platform with Trapdoor and Ladder-610



Item Code	Length(m)	Weight(kg)
WRAPL257	2.57	25.9
WRAPL307	3.07	19.7

Material: Aluminium and Wood
Note: O Type and U Type Both Available

WELL MADE
SYSTEM SCAFFOLDING

Aluminium Access Deck with Trapdoor-610

Item Code	Length(m)	Weight(kg)
WRAA157	1.57	14.9
WRAA207	2.07	17.9

Material: Aluminium
Note: O Type and U Type Both Available

Aluminium Access Deck with Trapdoor and Ladder-610

Item Code	Length(m)	Weight(kg)
WRAPL257	2.57	25.9

Material: Aluminium
Note: O Type and U Type Both Available

WELL MADE
SYSTEM SCAFFOLDING

Ladder With Hook

Item Code	Length(m)	Weight(kg)
WRLWH215	2.15	7.6

Specifications： 2.15*0.35m
Material: High strength structural steel
Finish: Hot dipped galvanized

Aluminium Stair-640

Specifications： 640mm,step height 0.20mm
Material: Aluminum
Note： O Type and U Type Both Available

Item Code	Length(m)	Weight(kg)
WRAS257	2.57	21.9
WRAS307	3.07	26.3

WELL MADE
SYSTEM SCAFFOLDING

Stairway Guardrail

Item Code	High(m)	Length(m)	Weight(kg)
WRSG15257	1.5	2.57	17.0
WRSG20257	2.0	2.57	18.1
WRSG20307	2.0	3.07	20.1

Material: High strength structural steel
Finish: Hot dipped galvanized
Note: Hook and Ledger head Both Available

Internal Stairway Guardrail

Item Code	High(m)	Length(m)	Weight(kg)
WRISG10090	1.0	0.9	7.8
WRISG15200	1.5	2.0	11.5
WRISG20225	2.0	2.25	13.5

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Steel Ladder-430

Item Code	Length(m)	Weight(kg)
WRSL150	1.5	12.0
WRSL200	2.0	15.0
WRSL300	3.0	21.5
WRSL400	4.0	28.0

Material: High strength structural steel

Finish: Hot dipped galvanized

Aluminum Ladder-460

Item Code	Length(m)	Weight(kg)
WRAL290	2.9	8.2
WRAL400	4.0	11.3
WRAL490	4.9	13.8
WRAL570	5.7	16.1

Material: Aluminum

WELL MADE
SYSTEM SCAFFOLDING

Steel Ladder-with spigot

Item Code	Length(m)	Weight(kg)
WRSLS092	0.92	4.7
WRSLS153	1.53	7.8
WRSLS183	1.83	9.3

Material: High strength structural steel

Finish: Hot dipped galvanized

Ladder Bracket

Item Code	Length(m)	Weight(kg)
WRLB040	0.4	3.2

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Toe Board



Item Code	Length(m)	Weight(kg)
WRTB073	0.73	1.7
WRTB109	1.09	2.4
WRTB140	1.57	3.0
WRTB157	2.07	3.3
WRTB207	2.57	4.3
WRTB257	3.07	5.3
WRTB307	0.73	6.2

Specifications: 150mm
Material: High strength structural steel
Finish: Hot dipped galvanized

Toe Board(Wood)



Item Code	Length(m)	Weight(kg)
WRTBW073	0.73	1.5
WRTBW109	1.09	2.5
WRTBW140	1.57	3.4
WRTBW157	2.07	3.5
WRTBW207	2.57	4.3
WRTBW257	3.07	5.7
WRTBW307	0.73	6.3

Specifications: 150mm
Material: High strength structural steel and wood
Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Base Plate

Item Code	Length(m)	Weight(kg)
WRBP060	0.6	3.6
WRBP080	0.8	4.9

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Hot Dip Gal

Base Plate -Solid

Item Code	Length(m)	Weight(kg)
WRBPS060	0.6	3.6

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Hot Dip Gal

WELL MADE
SYSTEM SCAFFOLDING

Head Jack -Solid

Item Code	Length(m)	Weight(kg)
WRHJ045	0.45	6.6

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Electro galvanizing

Head Jack -Reinforced

Item Code	Length(m)	Weight(kg)
WRHJ060	0.60	8.0

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Electro galvanizing

WELL MADE
SYSTEM SCAFFOLDING

Swivelling Base Plate -Reinforced

Item Code	Length(m)	Weight(kg)
WRSHJ045	0.60	5.5

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Electro galvanizing

Swivelling Head Jack -Solid

Item Code	Length(m)	Weight(kg)
WRSHJ045	0.45	7.3

Specifications： OD38mm*8.1mm
Material: High strength structural steel
Finish: Electro galvanizing

WELL MADE
SYSTEM SCAFFOLDING

Cross Head Jack -Solid

Item Code	Length(m)	Weight(kg)
WRCHJ045	0.45	6.9

Specifications: OD38mm*8.1mm
Material: High strength structural steel
Finish: Electro galvanizing

O-Side Bracket

Item Code	Length(m)	Weight(kg)
WROSB026	0.26	2.3
WROSB036	0.36	3.4

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

O-Side Bracket -Adjustable



Item Code	Length(m)	Weight(kg)
WROSBA069	0.69	4.2

Material: High strength structural steel

Finish: Hot dipped galvanized

O- Side Bracket-with spigot



Item Code	Length(m)	Weight(kg)
WROSB109	1.09	12.0

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

O-Side Bracket--with spigot

Item Code	Length(m)	Weight(kg)
WRUSB039	0.39	3.9
WRUSB073	0.73	6.8

Material: High strength structural steel

Finish: Hot dipped galvanized

U- Side Bracket

Item Code	Length(m)	Weight(kg)
WRUTSB045	0.45	3.1
WRUTSB073	0.73	5.0
WRUTSB109	1.09	12.0

Material: High strength structural steel

Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

U-Side Bracket-with spigot

Item Code	Length(m)	Weight(kg)
WRUSB028	0.28	3.4
WRUSB039	0.39	3.9
WRUSB073	0.73	6.4

Material: High strength structural steel

Finish: Hot dipped galvanized

Scaffolding Plank

Item Code	Length(m)	Weight(kg)
WRWB100	1.0	5.2
WRWB150	1.5	7.8

Specifications： 240*45mm

Material: Wood

WELL MADE
SYSTEM SCAFFOLDING

Base Collar-024

Item Code	Length(m)	Weight(kg)
WRBC24	0.24	1.4

Specifications： OD48.3*3.0mm
Material: High strength structural steel
Finish: Hot dipped galvanized

Base Collar-043

Specifications： OD48.3*3.0mm
Material: High strength structural steel
Finish: Hot dipped galvanized

Item Code	Length(m)	Weight(kg)
WRBC43	0.43	2.2

WELL MADE
SYSTEM SCAFFOLDING

Steel Scaffold Tube



Specifications： OD48.3*4.0mm,BS1139
Material: High strength structural steel
Finish: Hot dipped galvanized

Toggle Pin

Specifications： OD11mm
Material: High strength structural steel
Finish: Hot dipped galvanized,Painted

WELL MADE
SYSTEM SCAFFOLDING

Rosette Clamp

Specifications： OD48.3mm
Material: High strength structural steel
Finish: Hot dipped galvanized

Eyebolt

Item Code	Length(mm)	Weight(kg)
WREB09	95	1.6
WREB12	120	1.8
WREB19	190	2.5
WREB23	230	3.0
WREB30	300	3.5
WREB35	350	5.0

Specifications： OD12mm
Material: High strength structural steel
Finish: Electro galvanizing

WELL MADE
SYSTEM SCAFFOLDING

Plastic Wall Insert

Item Code	Length(mm)	Weight(kg)
WRPWI01	70	0.3
WRPWI02	100	0.3
WRPWI03	135	0.3

Specifications: OD14mm
Material: Plastic

Wall Tie

Item Code	Length(m)	Weight(kg)
WRWT038	0.38	1.6
WRWT069	0.69	2.8
WRWT095	0.95	3.7
WRWT145	1.45	5.7
WRWT175	1.75	5.8

Specifications: OD48.3mm
Material: High strength structural steel
Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Twin Wedge Coupler

Item Code	Weight(kg)
WRTW1	1.2

Spigot Adapter Clamp

Item Code	Weight(kg)
WRSAC1	1.8

WELL MADE
SYSTEM SCAFFOLDING

Ledger End Accessories

Item Code	Weight(kg)
WRLEA1	0.7

Standard Lock

Item Code	Length(m)	Weight(kg)
WRSL050	0.58	4.0

Specifications: OD48.3mm
Material: High strength structural steel
Finish: Hot dipped galvanized

WELL MADE
SYSTEM SCAFFOLDING

Right Angle T-bolt Clamp

Item Code	Weight(kg)
WRDD3	1.3

Swivel T-bolt Clamp

Item Code	Weight(kg)
WRDS3	1.5

WELL MADE
SYSTEM SCAFFOLDING

Span Pin

Specifications： OD12mm
Material: High strength structural steel
Finish: Electro galvanizing

Revit Pin

Specifications： OD4mm
Material: High strength structural steel
Finish: Electro galvanizing

WELL MADE
SYSTEM SCAFFOLDING

Bolt-M12

Specifications: OD12mm*60(with nut)
Material: High strength structural steel
Finish: Electro galvanizing

Blind Rivet

Specifications: OD4.8mm*12mm
Material: High strength structural steel
Finish: Electro galvanizing

WELL MADE
SYSTEM SCAFFOLDING

End Caps

Material: Plastic

Scaffolding Net

Specifications： 10*2.0m

WELL MADE
SYSTEM SCAFFOLDING

MAJOR
ABSORBED
ATTENTIVELY

• Tianjin Wellmade Scaffold CO.,LTD
No:1 Guangyuanlu,Tangguantun Industry Zone,
Jinghai,Tianjin,China
• Nangjing Wellmade Metalwork CO.,LTD
Add:No.323 Zhongyang Road,Nanjing,China
Tel:+86-2583557331 2583557312 2268728355
Fax:+86-2583557313 2268728361
Mail:info@wm-scaffold.com
sales@wm-scaffold.com
Web:www.wm-scaffold.com
www.china-scaffolding.com